

CYCLEWASH

Product & Company Brochure

Calibrated low-pressure spray and gentle EASYClick foam/PE-Mylex brushes never exceed pressure levels safe for electronics and delicate materials -- field-proven on 1,000,000+ washed bikes. DEKRA safety-certified, 35 granted IP rights.

1,000,000+

BIKES WASHED

35

GRANTED IP RIGHTS



MODEL RANGE



Mini Station

- Manual, 3-in-1: pre-clean, rinse, air dry (LuftWASH built in). Entry point of the range; upgradeable to Mini Basic (semi-automatic) or Mini Platinum.
- Water usage: Under 1 litre per minute.
- External oil and sludge separator: optional accessory.



Mini Basic

- Semi-automatic: automatic wheel cleaning with brushes; pre-clean and dry with the Station combo.
- Dimensions: 1435 × 1030 × 1220 mm (L × W × H); 3340 mm with ramps
- Tank / pump: Approx. 90 L tank; pump circulates up to 30 L/min at max. 1 bar circuit pressure.



Mini Platinum

- Full stainless steel
- Water usage: Approx. 3 L per wash in ECO mode (closed circuit)
- Built-in oil separator (integrated).



Pro Basic

WASH

- Black Edition (100% recycled HDPE housing)
- Dryer: None
- 2365 × 1255 × 1235 mm (L × W × H); 4200 mm with ramps



Pro Platinum

WASH

- Platinum Edition (stainless steel housing)
- No dryer. A hand dryer or the integrated dryer with 8 blowers (as fitted on Pro Platinum Wash/Dry) can be added.



Pro Platinum

WASH/DRY

- Platinum Edition (stainless steel housing)
- Integrated dryer, 8 blowers.

⊕ OPTIONS & UPGRADES

● Blade compressor	High-performance blade compressor, for permanent installation where no compressed air is available.
● Wall-mounted hand dryer	Hand dryer (wall-mounted).
● Integrated dryer (8 blowers)	Integrated dryer, 8 blowers (as fitted on Pro Platinum Wash/Dry).
● Oil / sludge separator (Pro)	External oil and sludge separator (Mini Station, Mini Basic, Pro Basic, Pro Platinum -- not Mini Platinum, which has a built-in oil separator).
● LuftWASH	Cavitation wash + compressed-air drying accessory.
● Cashless payment terminal	Cashless payment terminal.
● Touch display	Touch LCD display.
● Handlebar controls	Handlebar controls upgrade.
● Pre-cleaning catch tank & ramp set	Pre-cleaning catch tank & ramp set.

Current prices: cyclewash.com

📍 SECTORS

- Bike shops
- Events
- Hotels
- Bike parks
- Large dealers
- Rental fleets
- Apartment/residential bike rooms

📈 RETURN ON INVESTMENT

Typical payback of a Mini: 15-26 months at 50 washes per day.

📄 COMMERCIAL TERMS

Outright purchase only, at list price. We offer discounts from time to time — visit our website to see current offers. There is no franchise. There are no pilot projects. For volume purchases of more than five machines we offer flexible alternatives such as leasing, rental and financing — get in touch with us.

Online orders are paid in full at checkout. Orders placed by quote or purchase order pay two-thirds with the order and the remaining third before delivery.

From stock where available; otherwise ready approx. 3 weeks (Mini models and Mini Station) or approx. 10-14 weeks (Pro) after order payment is received.

Statutory warranty per German law. Wear parts (brushes, hoses, filters, pumps, roller-drive motors, drive belts) are excluded. An extended warranty of 1-5 years, matching the contract period, is available when a maintenance contract is signed. Full terms: cyclewash.com/pages/terms-and-conditions-of-sale.

CW Cleaning Solutions GmbH	Belfortstraße 8, 50668 Köln, Germany	Phone	+49 221 650 540 33
Register	Amtsgericht Köln, HRB 93480	Email	sales@cyclewash.com
VAT ID	DE316636197	Website	cyclewash.com
Managing director	Sachin Kumar		

Current prices: cyclewash.com